








PORT SPECIFICATION		
NO	PORT DESCRIPTION	SIZE
A-1	INLET	G 1"
A-2	OUTLET	G 1"
B	THERMO S/W PORT	G 1/2



SPECIFICATION OF AIR OIL COOLER

Cooling Capacity (Based on ETD 40°C)	4,128 Kcal/h
Material of Matrix	ALUMINUM
Material of AC Motor (Frame / Impeller)	MAGNESIUM
< GENERAL SPECIFICATION OF AIR OIL FAN COOLER >	
Test Pressure	21 bar
Dynamic Working Pressure	14 bar
Maximum oil inlet temperature	120°C
Oil Flow	10lit/min ~ 100lit/min
Phase & Poles of AC Motor	1Phase / 2 pole
Power of AC Motor	50 / 60hz, 0.18A / 0.25A
Voltage & Fequency of AC Motor	220V - 240VAC, 50/60Hz
Ingress Protection	IP 55
Certification of AC Motor	CE / UL / ROHS
Weight	7.5KG (Approx)



DESIGN		Hydro Lync		1 OF 1	
TITLE			ISSUE DATE		
AIR OIL COOLER					
HLA2 04-2 (220V. 50/60hz)					
DESIGN TEAM		PROJECTION METHOD	THIRD ANGLE PROJECTION	SCALE	N / A
DRWN	J.Y.MIN	19.10.17	PART NO.		A3
CHK'D					Q'TY
REV'D			DWG NO.		REV.
APP'D					APP.