









PORT SPECIFICATION		
NO.	PORT DESCRIPTION	SIZE
(A-1)	INLET	G 1"
(A-2)	OUTLET	G 1"
(B)	SPARE PORT	G 1"
(C)	THERMO S/W PORT	G 1/2"

[ NOTICE ]  
 (A-1) ↔ (B) : INCORRECT CONNECTION



SPECIFICATION OF AIR OIL COOLER	
Cooling Capacity (Based on ETD 40°C)	20,640Kcal/h
Material of Matrix	Aluminum
Test Pressure	21 bar
Dynamic Working Pressure	14 bar
Maximum oil inlet temperature	120°C
Direction of Cooling Air	Suction Type
Oil Flow	10lit/min ~ 200lit/min
Poles & Power of AC Motor	4 pole / 0.37KW
Voltage & Fequency of AC Motor	220/380V 60Hz
Insulation Class	F Class
Weight	29KG (Approx)



DESIGN				1 OF 1
TITLE		AIR OIL COOLER		ISSUE DATE
		HLA2 16-4 (220/380V. 60hz)		
DESIGN TEAM		PROJECTION METHOD	THIRD ANGLE PROJECTION	SCALE N / A
DRWN J.Y.MIN	19.10.17	PART NO.		A3
CHK'D		DWG NO.		QTY
REV'D				REV.
APP'D				