









PORT SPECIFICATION		
NO.	PORT DESCRIPTION	SIZE
(A-1)	INLET or OUTLET	G 2"
(A-2)	OUTLET or INLET	G 2"
(B)	SPARE PORT	G 2"
(C)	THERMO S/W PORT	G 1/2"

[NOTICE]

(A-1) ↔ (B) : INCORRECT CONNECTION



SPECIFICATION OF AIR OIL COOLER	
Cooling Capacity (Based on ETD 40°C)	77,400Kcal/h
Material of Matrix	Aluminum
Test Pressure	21 bar
Dynamic Working Pressure	14 bar
Maximum oil inlet temperature	120°C
Type of Blade	Suction Type
Oil Flow	50lit/min ~ 500lit/min
Poles & Power of AC Motor	6 pole / 2.2KW
Voltage & Fequency of AC Motor	220/380V 60Hz
Noise (LpA, 1m)	90db
Weight	135KG (Approx)



DESIGN				1 OF 1	
TITLE				ISSUE DATE	
AIR OIL COOLER					
HLA2 78-6 (220/380V. 60hz)					
DESIGN TEAM		PROJECTION METHOD		THIRD ANGLE PROJECTION	
DRWN	J.Y.MIN	19.10.17			SCALE N / A
CHK'D					QTY
REV'D			DWG. NO.		REV.
APP'D					