

PORT SPECIFICATION







NO.	PORT DESCRIPTION	SIZE
(A-1)	INLET	G 1"
(A-2)	OUTLET	G 1"
(B)	SPARE PORT	G 1/2"
(C)	THERMO S/W PORT	G 1"

[NOTICE]


(A-1) ↔ (B) : INCORRECT CONNECTION

SPECIFICATION OF AIR OIL COOLER

Cooling Capacity (Based on ETD 40°C)	0.38KW /°C (15.2KW, 13,072Kcal/h)
Material of Matrix	Aluminum
< GENERAL SPECIFICATION OF AIR OIL FAN COOLER >	
Test Pressure	21 bar
Dynamic Working Pressure	14 bar
Maximum oil inlet temperature	120°C
Direction of Cooling Air	Suction Type
Oil Flow	10lit/min ~ 150lit/min
Phase of AC Motor	3 Phase
Poles & Power of AC Motor	2 pole / 180W
Voltage & Fequency of AC Motor	230/400V 50/60Hz
Rated AC Motor Current (100% Load)	0.29A
Insullation Class	F Class
Ingress Protection	IP 54
Weight	17.5KG (Approx)



SYMBOLS FOR HYDRAULIC



DESIGN			
TITLE AIR OIL COOLER HLAX 11-2 (230/400V.50/60hz / 3Phase)			
DESIGN TEAM	PROJECTION METHOD	THIRD ANGLE PROJECTION	SCALE N / A
DRWN J.Y.MIN 20.09.17	PART NO.		A3
CHK'D			QTY
REV'D			
APP'D	DWG NO.		REV.