

PORT SPECIFICATION







NO.	PORT DESCRIPTION	SIZE
(A-1)	INLET	G 1"
(A-2)	OUTLET	G 1"
(B)	SPARE PORT	G 1/2"
(C)	THERMO S/W PORT	G 1"

[ NOTICE ]


(A-1) ↔ (B) : INCORRECT CONNECTION

SPECIFICATION OF AIR OIL COOLER

Cooling Capacity (Based on ETD 40°C)	0.7KW /°C (28KW, 24,080Kcal/h)
Material of Matrix	Aluminum
< GENERAL SPECIFICATION OF AIR OIL FAN COOLER >	
Test Pressure	21 bar
Dynamic Working Pressure	14 bar
Maximum oil inlet temperature	120°C
Direction of Cooling Air	Suction Type
Oil Flow	25lit/min ~ 200lit/min
Phase of AC Motor	3 Phase
Poles & Power of AC Motor	4 pole / 290W
Voltage & Fequency of AC Motor	230/400V, 50/60Hz
Rated AC Motor Current (100% Load)	0.58A
Insullation Class	F Class
Ingress Protection	IP 54
Weight	34.7KG (Approx)



SYMBOLS FOR HYDRAULIC



DESIGN			
TITLE			
AIR OIL COOLER			
HLAX 23-4			
(230/400V.50/60hz / 3Phase)			
DESIGN TEAM		PROJECTION METHOD	THIRD ANGLE PROJECTION
DRWN	J.Y.MIN	20.09.17	SCALE N / A
CHK'D			A3
REV'D			QTY
APP'D		DWG NO.	REV.