






PORT SPECIFICATION		
NO.	PORT DESCRIPTION	SIZE
A-1	INLET	G 1"
A-2	OUTLET	G 1"
B	SPARE PORT	G 1"
C	THERMO S/W PORT	G 1/2"



[NOTICE]

A-1 ↔ B : INCORRECT CONNECTION



SPECIFICATION OF AIR OIL COOLER

Cooling Capacity (Based on ETD 40°C)	10,664 Kcal/h
Material of Matrix	ALUMINUM
Test Pressure	21 bar
Dynamic Working Pressure	14 bar
Maximum oil inlet temperature	120°C
Oil Flow	10lit/min ~ 150lit/min
Voltage of DC Motor	DC 24V
Current Consumption	10A
RPM	3,060 rpm
Ingress Protection	IP 68
Ambient Temp. of DC Motor	-30°C ~ +80°C
Noise (Noise Level tolerance ±3dB)	74db(A) 1m
Weight	12KG (Approx)



DESIGN 1 OF 1

TITLE AIR OIL COOLER ISSUE DATE

HLD 11-24V

DESIGN TEAM	PROJECTION METHOD	THIRD ANGLE PROJECTION	SCALE	N / A	A3
DRWN J.Y. MIN 18.10.03					QTY
CHK'D					
REV'D		DWG NO.			REV.
APP'D					

A3(420X297)