









SPECIFICATION OF AIR OIL COOLER

Cooling Capacity (Based on 1,000rpm & ETD 40°C)	75,680Kcal/h
Material of Matrix	Aluminum
Test Pressure	21 bar
Dynamic Working Pressure	14 bar
Maximum oil inlet temperature	120°C
Oil Flow	50lit/min ~ 500lit/min
Displacement of Hyd' Motor	11 cm3/rev
Max. Working pressure of Hyd' Motor	210 bar
Max. Speed of Hyd' Motor	1,690 rpm
Noise / LpA, 1m (Based on 1,000rpm)	88db
Weight	119KG (Approx)

PORT SPECIFICATION		
NO.	PORT DESCRIPTION	SIZE
A-1	INLET	G 2"
A-2	OUTLET	G 2"
B	SPARE PORT	G 2"
C	THERMO S/W PORT	G 1/2"

[NOTICE]
 : INCORRECT CONNECTION



DESIGN				1 OF 1	
TITLE			ISSUE DATE		
AIR OIL COOLER					
HLH2 78-11cc					
DESIGN TEAM		PROJECTION METHOD	THIRD ANGLE PROJECTION	SCALE	N / A
DRWN	J.Y.MIN	20.07.15			A3
CHK'D					Q'TY
REV'D					
APP'D			DWG NO.		REV.